------ POPULATION ESTIMATES ------- LONG-TERM CARE ------ LOCAL HEALTH DEPARTMENTS ------

			NATA	LITY				
TOTAL LIVE BIRTHS		547	Birth Order		Percent	Marital Status		
TOTAL LIVE BIRTHS		3.,				of Mother	Births	Percent
Crude Live Birth Rate		11.0	Second	207 182	33	Married	414	76
General Fertility Rat		54.0	Third	97	16	Not married		24
delieral refullity Nat	C	34.0	Fourth or higher	71	10	Unknown	133	0
live births with repo	r+ o.d		Fourth or higher Unknown	/1	38 33 16 13 0	UTIKITOWIT	9	U
Live births with repo congenital anomalies	rteu	F 0.00/	UTIKTIOWIT	U	О	Falssantian		
congenital anomalies		5 0.9%	First Bassatal			Education	D	D
.	5		First Prenatal	5			Births	Percent
Delivery Type	Births	Percent	Visit	Births	Percent	Elementary or les	ss 22	4
Vaginal after			1st trimester	428	78	Some high school	29	5
previous cesarean	16	3	2nd trimester	95	17	High school	176	32
Forceps	9	2	3rd trimester	16	3	Some college	182	33
Other vaginal	417	76 12	2nd trimester 3rd trimester No visits Unknown	3	17 3 1 1	College graduate	137	25
Primary cesarean	68	12	Unknown	5	1	Unknown	1	< . 5
Repeat cesarean	37	7						
Other or unknown	37 0	0	Number of Prenatal	_		Smoking Status		
				Births	Percent	of Mother	Births	Percent
Birthweight	Births	Percent	No visits	3	1	Smoker	76	14
<1.500 gm	3	0.5	1-4	25	5	Nonsmoker	471	86
1 500-2 499 gm	19	3.5	5 - 9	139	25	Unknown	., _	0
2 500+ gm	525	96.0	10-12	251	46	· · · · · · · · · · · · · · · · · · ·	ŭ	ŭ
IInknown	0	0	13+	127	23			
<1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	J	Ū	Unknown	2	<.5			
						er of First Proposal	 Vici+	
						er of First Prenatal	Visit	
Pace of Mother	Dirthe [orcont	Low Birthweight (under 2 500 gm)	1st Tr	Trimest imester	er of First Prenatal 2nd Trimester	Visit Other/	Unknown
	Dirthe [orcont	Low Birthweight (under 2,500 gm) Births Percent	1st Tr Births	Trimest imester Percent	Births Percent	Rirths	Percent
White	Births F	ercent	Low Birthweight (under 2,500 gm) Births Percent	1st Tr Births	Trimest imester Percent	Births Percent	Rirths	Unknown Percent 4
White Black	Births F 539 1	Percent 99 <.5	Low Birthweight (under 2 500 gm)	1st Tr Births 421 *	Trimest imester Percent 78	Births Percent 94 17 * .	Births 24	Percent
White Black Other	Births F 539 1 7	Percent 99 <.5 1	Low Birthweight (under 2,500 gm) Births Percent 22 4.1 *	1st Tr Births 421 *	Trimest imester Percent 78	Births Percent 94 17 * . 1 14	Births 24	Percent
White Black	Births F 539 1	Percent 99 <.5	Low Birthweight (under 2,500 gm) Births Percent 22 4.1 *	1st Tr Births 421 *	Trimest imester Percent 78	Births Percent 94 17 * . 1 14	Births 24	Percent
White Black Other	Births F 539 1 7 0	ercent 99 <.5 1 0	Low Birthweight (under 2,500 gm) Births Percent 22 4.1 * Low Birthweight	1st Tr Births 421 * 6	Trimest imester Percent 78 86 Trimest	Births Percent 94 17 * . 1 14er of First Prenatal	Births 24 * Visit	Percent 4
White Black Other Unknown	Births F 539 1 7 0	Percent 99 <.5 1 0	Low Birthweight (under 2,500 gm) Births Percent 22 4.1 * Low Birthweight (under 2,500 gm)	1st Tr Births 421 * 6	Trimest imester Percent 78 . 86 . Trimest	Births Percent 94 17 * . 1 14	Births 24 * Visit Other/	Percent 4
White Black Other Unknown	Births F 539 1 7 0	Percent 99 <.5 1 0	Low Birthweight (under 2,500 gm) Births Percent 22 4.1 *	1st Tr Births 421 * 6	Trimest imester Percent 78 86 Trimest	Births Percent 94 17 * . 1 14	Births 24 * Visit Other/	Percent 4
White Black Other	Births F 539 1 7 0	Percent 99 <.5 1 0	Low Birthweight (under 2,500 gm) Births Percent 22 4.1 * Low Birthweight (under 2,500 gm)	1st Tr Births 421 * 6	Trimest imester Percent 78 . 86 . Trimest	Births Percent 94 17 * . 1 14	Births 24 * Visit Other/	Percent 4
White Black Other UnknownAge of Mother	Births F 539 1 7 0 Fe Births	Percent 99 <.5 1 0 	Low Birthweight (under 2,500 gm) Births Percent 22 4.1 * Low Birthweight (under 2,500 gm)	1st Tr Births 421 * 6 1st Tr Births	Trimest imester Percent 78 . 86 . Trimest imester Percent	Births Percent 94 17 * . 1 14	Births 24 * Visit Other/	Percent 4
White Black Other Unknown Age of Mother <15	Births F 539 1 7 0 Fe Births	Percent 99 <.5 1 0 ertility Rate	Low Birthweight (under 2,500 gm) Births Percent 22 4.1 * Low Birthweight (under 2,500 gm) Births Percent	1st Tr Births 421 * 6	Trimest imester Percent 78 . 86 . Trimest	Births Percent 94 17 * . 1 14	Births 24 * Visit Other/ Births 1	Percent 4
White Black Other Unknown Age of Mother <15 15-17 18-19 20-24	Births F 539 1 7 0 Fe Births 0 11	Percent 99 <.5 1 0 ertility Rate 9	Low Birthweight (under 2,500 gm) Births Percent 22 4.1 * Low Birthweight (under 2,500 gm) Births Percent	1st Tr Births 421 * 6 1st Tr Births	Trimest imester Percent 78 . 86 . Trimest imester Percent . 73	Births Percent 94 17 * . 1 14	Births 24 * Visit Other/ Births 1	Percent 4
White Black Other Unknown Age of Mother <15 15-17 18-19	Births F 539 1 7 0 	Percent 99 <.5 1 0 ertility Rate 9	Low Birthweight (under 2,500 gm) Births Percent 22 4.1 * Low Birthweight (under 2,500 gm) Births Percent	1st Tr Births 421 * 6 1st Tr Births 8	Trimest imester Percent 78	Births Percent 94 17 * . 1 14	Births 24 * Visit Other/ Births 1	Percent
White Black Other Unknown Age of Mother <15 15-17 18-19 20-24	Births F 539 1 7 0 Births 0 11 26 139	Percent 99 <.5 1 0 ertility Rate 9 25 74	Low Birthweight (under 2,500 gm) Births Percent 22 4.1 * Low Birthweight (under 2,500 gm) Births Percent	1st Tr Births 421 * 6 1st Tr Births 8 16 99	Trimest imester Percent 78 86 Trimest imester Percent 73 62 71 82 87	Births Percent 94 17 * 1 14 er of First Prenatal 2nd Trimester Births Percent 2 18 9 35 35 25 24 14	Births 24 * Visit Other/ Births 1	Percent
White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34	Births F 539 1 7 0 	Percent 99 <.5 1 0 Prility Rate 9 25 74 142	Low Birthweight (under 2,500 gm) Births Percent 22 4.1 * Low Birthweight (under 2,500 gm) Births Percent 2 7.7 5 3.6 10 6.0 2 1.6	1st Tr Births 421 * 6	Trimest imester Percent 78 86 Trimest imester Percent 73 62 71 82 87	Births Percent 94 17 * . 1 14	Births 24 * Visit Other/ Births 	Percent 4
White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29	Births F 539 1 7 0 	Percent 99 <.5 1 0 Prility Rate 9 25 74 142 101 36	Low Birthweight (under 2,500 gm) Births Percent 22 4.1 * Low Birthweight (under 2,500 gm) Births Percent 2 7.7 5 3.6 10 6.0 2 1.6	1st Tr Births 421 * 6 1st Tr Births 8 16 99 137 112 47	Trimest imester Percent 78 86 Trimest imester Percent 73 62 71 82	Births Percent 94 17 * . 1 14	Births 24 * Visit Other/ Births 	Percent
White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	Births F 539 1 7 0 	Percent 99 <.5 1 0 Prility Rate 9 25 74 142 101	Low Birthweight (under 2,500 gm) Births Percent 22 4.1 * Low Birthweight (under 2,500 gm) Births Percent 2 7.7 5 3.6 10 6.0 2 1.6	1st Tr Births 421 * 6	Trimest imester Percent 78 . 86 . Trimest imester Percent . 73 62 71 82 87 75 75	Births Percent 94 17 * 1 14 er of First Prenatal 2nd Trimester Births Percent 2 18 9 35 35 25 24 14 11 9 11 17 3 25	Births 24 * Visit Other/ Births 	Percent
White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	Births F 539 1 7 0 	Percent 99 <.5 1 0 Prtility Rate 9 25 74 142 101 36 7	Low Birthweight (under 2,500 gm) Births Percent 22 4.1 * Low Birthweight (under 2,500 gm) Births Percent 2 7.7 5 3.6 10 6.0 2 1.6	1st Tr Births 421 * 6 1st Tr Births 8 16 99 137 112 47	Trimestimester Percent 78 86 Trimestimester Percent 73 62 71 82 87 75	Births Percent 94 17 * . 1 14	Births 24 * Visit Other/ Births 	Percent

MORBIDITY			MO	RTALITY		
REPORTED* CASES OF SELECTED DISEASES	per 100,000 population. rates are per 1,000 liv are per 1,000 live birth culated for fewer than 2	Infant, e births. s plus	 			
Disease Number Campylobacter Enteritis 12 Giardiasis 5 Hepatitis Type A <5	TOTAL DEATHS Crude Death Rate		525 1,051	Selected Underlying Cause Deaths Heart Disease (total) 169 Ischemic heart disease 116		ite 38 32
Hepatitis Type B** 0 Hepatitis NANB/C 7 Legionnaire's 0 Lyme 7	Age 1-4 5-14 15-19	Deaths 1 3	•	Cancer (total) Trachea/Bronchus/Lung Colorectal Female Breast	103 20 16	.06
Méasles 0 Meningitis, Aseptic <5 Meningitis, Bacterial 0	20-34 35-54 55-64	13 38 39	283 876	Cerebrovascular Diseas Lower Resp. Disease Pneumonia & Influenza	e 43 8 26 2	86 j 52 j 48 j
Mumps 0 Pertussis <5 Salmonellosis 10 Shigellosis <5	65-74 75-84 85+	153 204	1,906 5,655 17,884	Accidents Motor vehicle Diabetes Infectious & Parasition	14 15 2	54 . .
Tuberculosis 0 * 2001 provisional data	 Infant Mortality	Deaths	Rate	Suicide * Rate for female brea	5	.
** Includes all positive HBsAg test results	Total Infant Neonatal	2 2	· ·	i on female popula	tion.	j
 Sexually Transmitted Disease	Postneonatal Unknown			ALCOHOL AND DRUG ABUSE OR CONTRIBUTING CAL		G
Chlamydia Trachomatis 55 Genital Herpes 6 Gonorrhea <5	Race of Mother White Black	2		Alcohol Other Drugs Both Mentioned	2 7	.
Syphilis 0	Other Unknown	· ·		BOTH MEHITIONED MOTOR VEHICL	•	·
 IMMUNIZATIONS	Birthweight <1,500 gm	2		Note: These data are based on location of crash, not on residence.		
Children in Grades K-12 by Compliance Level Compliant 9 824	1,500-2,499 gm 2,500+ gm Unknown	· ·	•	Type of Motor Vehicle Crash Total Crashes	Persons Persons Injured Kil	ons led
Compliant 9,824 Non-compliant 79 Percent Compliant 99.2	 Perinatal Mortality	Deaths	Rate	Alcohol-Related With Citation: For OWI	66	7 1
	Total Perinatal Neonatal Fetal	6		For Speeding Motorcyclist	17 26	0 1
	Fetal 	4	•	Bicyclist Pedestrian	6 6	0 0

Per Average Charge | Per Average Charge DISEASE / 1,000 Stay Average Per AGE GROUP Number Pop (Days) Charge Capita Alcohol-Related
Total 88 1.8 2.9 \$4,006
18-44 50 2.5 2.6 \$3,317
45-64 30 2.8 3.4 \$4,569 Injury-Related: All Total 318 6.4 4.2 \$13,910 \$89
<18 34 2.9 3.3 \$13,382 \$38
18-44 80 4.1 3.9 \$13,243 \$54
45-64 73 6.8 4.0 \$14,954 \$102
65+ 131 17.2 4.8 \$13,873 \$238 \$7 \$38 \$54 \$102 Pneumonia and Influenza \$238 Total 143 2.9 3.6 \$8,058 <18 20 1.7 3.8 \$6,894 \$15 45-64 22 2.0 3.5 \$8,665 \$84 65+ 88 11.5 3.8 \$8,541 \$38 \$8 \$13 \$23 Injury: Hip Fracture | Total 50 1.0 5.0 \$14,564 \$15 | 65+ 45 5.9 4.9 \$14,233 \$84 | \$12 \$18 \$99 Injury: Poisonings
Total 25 0.5 1.2 \$3,166 \$2
18-44 13 \$22 \$103 Psychiatric
Total 257 5.1 5.1 \$5,568
<18 58 4.9 4.9 \$5,046
18-44 110 5.6 3.4 \$3,383
45-64 45 4.2 6.3 \$6,478
65+ 44 5.8 8.5 \$10,791 Chronic Obstructive Pulmonary Disease \$29 \$25 \$19 \$27 \$62 Coronary Heart Disease Total 232 4.6 3.2 \$13,672 \$64 | 45-64 70 6.5 3.2 \$15,845 \$103 | 65+ 146 19.2 3.3 \$13,167 \$252 | Total Hospitalizations Malignant Neoplasms (Cancers): All ----- PREVENTABLE HOSPITALIZATIONS* -----Neoplasms: Female Breast (rates for female population) * Hospitalizations for conditions where timely and effective | ambulatory care can reduce the likelihood of hospitalization. The definition of preventable hospitalizations in 2001 is consistent with the 1997 definition. Diabetes Tabetes | The definition of preventable hospitalizations in 2001 | Total | 49 | 1.0 | 4.8 | \$12,186 | \$12 | is consistent with the 1997 definition. | 65+ | 24 | 3.1 | 4.9 | \$11,431 | \$36 | Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997.